BRAIN RESEARCH

VOL. 548 NOS. 1/2 CONTENTS 10 MAY 1991

Research Reports

Sulfhydryl reducing agents distinguish two subtypes of angiotensin II receptors in the rat brain
R.C. Speth, B.P. Rowe, K.L. Grove, M.R. Carter and D. Saylor (U.S.A.) 1

Quiescent astroglia in long-term primary cultures re-enter the cell cycle and require a non-sterol isoprenoid in late G1
T.J. Langan and M.C. Slater (U.S.A.) 9

Learning-specific differences in Purkinje-cell dendrites of lobule HVI (Lobulus simplex): intracellular recording in rabbit cerebellar slice
B.G. Schreurs, J.V. Sanchez-Andres and D.L. Alkon (U.S.A.) 18

The α_2-adrenoceptor agonist deximedetomidine increases the apparent potency of the voliate anesthetic isoflurane in rats in vivo and in hippocampal slice in vitro
M.K.T. Savola, M.B. MacIver, V.A. Doze, J.J. Kendig and M. Maze (U.S.A.) 23

Naloxone-sensitive inhibition of nicotinic transmission in the superior cervical ganglion of the cat
C. Zhang, M. Bachoo and C. Polosa (Canada) 29

Phospholipase C isozymes in neurons and glial cells in culture: an immunocytochemical and immunochemical study
M. Mizuguchi, M. Yamada, S.U. Kim and S.G. Rhee (Canada, U.S.A.) 35

Action of diazepam on the voltage-dependent Na^+ current. Comparison with the effects of phenytoin, carbamazepine, lidocaine and flumazenil
K.H. Backus, P. Pflimlin and G. Trube (Switzerland) 41

The effect of estrogen on the estrogen receptor-immunoreactive cells in the rat medial preoptic nucleus
K. Yuri and M. Kawata (Japan) 50

Intrahippocampal transplants of septal cholinergic neurons: high-affinity choline uptake and spatial memory function
B.J. Tarricone, S.R. Keim, J.R. Simon and W.C. Low (U.S.A.) 55

Cortical recovery from effects of monocular deprivation caused by diffusion and occlusion
T. Ohashi, A.M. Norcia, T. Kasamatsu and A. Jampolsky (U.S.A.) 63

Habituation and inhibitory avoidance training after brain regional levels of benzodiazepine-like molecules and are affected by intracerebral flumazenil microinjection
C. Wolfman, C. Da Cunha, D. Jerusalinsky, M. Levi de Stein, H. Viola, I. Izquierdo and J.H. Medina (Argentina, Brazil) 74

Cell excitation enhances muscarinic cholinergic responses in rat association cortex
R. Andrade (U.S.A.) 81

Selective decrease in extracellular DOPAC concentrations in rat striatum following in vivo dialysis with low concentrations of MPP^+
E.J. Caliguri and J.N. Johannessen (U.S.A.) 94

A general role for adaptations in G-proteins and the cyclic AMP system in mediating the chronic actions of morphine and cocaine on neuronal function
R.Z. Terwilliger, D. Beitner-Johnson, K.A. Sevarino, S.M. Crain and E.J. Nestler (U.S.A.) 100

Reversible, short-lasting, and dose-dependent effect of (+)-fenfluramine on neocortical serotonergic axons
M. Kalia (U.S.A.) 111

A factor analysis of the human's corpus callosum
V.H. Denenberg, A. Kertesz and P.E. Cowell (U.S.A., Canada) 126

Modifications of tubulin heterogeneity during embryonic and postnatal stages in a specific region of mouse brain
S. Binet, M.-H. Binet and V. Meininger (France) 133

Localization of tyrosine hydroxylase and olfactory marker protein immunoreactivities in the human and macaque olfactory bulb
R.L. Smith, H. Bakker, K. Koistad, D.D. Spencer and C.A. Greer (U.S.A.) 140

Effects of lingual nerve and chewing cortex stimulation upon activity of the swallowing neurons located in the region of the hypoglossal motor nucleus
M. Amri, M. Lamkadem and A. Car (France) 149

Spatial and temporal variation of microstimulation for inhibiting the tail-flick reflex from the rat's rostral medial medulla
I.D. Hentall, N.M. Barbaro and H.L. Fields (U.S.A.) 156

Evidence for motility and pinocytosis in ramified microglia in tissue culture
P.L. Booth and W.E. Thomas (U.S.A.) 163

Modulation of human short latency reflexes between standing and walking
J.D. Brooke, D.F. Collins, S. Boucher and W. Evans McIlroy (Canada) 172

Distribution of muscarinic receptors in the developing rodent cerebellum
A. Russo-Neustadt, A. Rotter and A. Frostholm (U.S.A.) 179

Transplantation of ventral forebrain cholinergic neurons to the hippocampus ameliorates impairment of radial-arm maze learning in rats with AF64A treatment
S. Ikegami, I., Nihonmatsu and H. Kawamura (Japan) 187

Immunohistochemical and immunoelectron microscopical characterization of cerebrovascular and senile plaque amyloid in aged dogs' brains
T. Ishihara, T. Gondo, M. Takahashi, F. Uchino, S.-I. Ikeda, D. Allsop and K. Imai (Japan, U.K.) 196

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

BRAIN RESEARCH

VOL. 548 NOS. 1/2 CONTENTS 10 MAY 1991

Research Reports

Sulfhydryl reducing agents distinguish two subtypes of angiotensin II receptors in the rat brain
R.C. Speth, B.P. Rowe, K.L. Grove, M.R. Carter and D. Saylor (U.S.A.) 1

Quiescent astroglia in long-term primary cultures re-enter the cell cycle and require a non-sterol isoprenoid in late G1
T.J. Langan and M.C. Slater (U.S.A.) 9

Learning-specific differences in Purkinje-cell dendrites of lobule HVI (Lobulus simplex): intracellular recording in rabbit cerebellar slice
B.G. Schreurs, J.V. Sanchez-Andres and D.L. Alkon (U.S.A.) 18

The α_2-adrenoceptor agonist deximedetomidine increases the apparent potency of the voliate anesthetic isoflurane in rats in vivo and in hippocampal slice in vitro
M.K.T. Savola, M.B. MacIver, V.A. Doze, J.J. Kendig and M. Maze (U.S.A.) 23

Naloxone-sensitive inhibition of nicotinic transmission in the superior cervical ganglion of the cat
C. Zhang, M. Bachoo and C. Polosa (Canada) 29

Phospholipase C isozymes in neurons and glial cells in culture: an immunocytochemical and immunochemical study
M. Mizuguchi, M. Yamada, S.U. Kim and S.G. Rhee (Canada, U.S.A.) 35

Action of diazepam on the voltage-dependent Na^+ current. Comparison with the effects of phenytoin, carbamazepine, lidocaine and flumazenil
K.H. Backus, P. Pflimlin and G. Trube (Switzerland) 41

The effect of estrogen on the estrogen receptor-immunoreactive cells in the rat medial preoptic nucleus
K. Yuri and M. Kawata (Japan) 50

Intrahippocampal transplants of septal cholinergic neurons: high-affinity choline uptake and spatial memory function
B.J. Tarricone, S.R. Keim, J.R. Simon and W.C. Low (U.S.A.) 55

Cortical recovery from effects of monocular deprivation caused by diffusion and occlusion
T. Ohashi, A.M. Norcia, T. Kasamatsu and A. Jampolsky (U.S.A.) 63

Habituation and inhibitory avoidance training after brain regional levels of benzodiazepine-like molecules and are affected by intracerebral flumazenil microinjection
C. Wolfman, C. Da Cunha, D. Jerusalinsky, M. Levi de Stein, H. Viola, I. Izquierdo and J.H. Medina (Argentina, Brazil) 74

Cell excitation enhances muscarinic cholinergic responses in rat association cortex
R. Andrade (U.S.A.) 81

Selective decrease in extracellular DOPAC concentrations in rat striatum following in vivo dialysis with low concentrations of MPP^+
E.J. Caliguri and J.N. Johannessen (U.S.A.) 94

A general role for adaptations in G-proteins and the cyclic AMP system in mediating the chronic actions of morphine and cocaine on neuronal function
R.Z. Terwilliger, D. Beitner-Johnson, K.A. Sevarino, S.M. Crain and E.J. Nestler (U.S.A.) 100

Reversible, short-lasting, and dose-dependent effect of (+)-fenfluramine on neocortical serotonergic axons
M. Kalia (U.S.A.) 111

A factor analysis of the human's corpus callosum
V.H. Denenberg, A. Kertesz and P.E. Cowell (U.S.A., Canada) 126

Modifications of tubulin heterogeneity during embryonic and postnatal stages in a specific region of mouse brain
S. Binet, M.-H. Binet and V. Meininger (France) 133

Localization of tyrosine hydroxylase and olfactory marker protein immunoreactivities in the human and macaque olfactory bulb
R.L. Smith, H. Bakker, K. Koistad, D.D. Spencer and C.A. Greer (U.S.A.) 140

Effects of lingual nerve and chewing cortex stimulation upon activity of the swallowing neurons located in the region of the hypoglossal motor nucleus
M. Amri, M. Lamkadem and A. Car (France) 149

Spatial and temporal variation of microstimulation for inhibiting the tail-flick reflex from the rat's rostral medial medulla
I.D. Hentall, N.M. Barbaro and H.L. Fields (U.S.A.) 156

Evidence for motility and pinocytosis in ramified microglia in tissue culture
P.L. Booth and W.E. Thomas (U.S.A.) 163

Modulation of human short latency reflexes between standing and walking
J.D. Brooke, D.F. Collins, S. Boucher and W. Evans McIlroy (Canada) 172

Distribution of muscarinic receptors in the developing rodent cerebellum
A. Russo-Neustadt, A. Rotter and A. Frostholm (U.S.A.) 179

Transplantation of ventral forebrain cholinergic neurons to the hippocampus ameliorates impairment of radial-arm maze learning in rats with AF64A treatment
S. Ikegami, I., Nihonmatsu and H. Kawamura (Japan) 187

Immunohistochemical and immunoelectron microscopical characterization of cerebrovascular and senile plaque amyloid in aged dogs' brains
T. Ishihara, T. Gondo, M. Takahashi, F. Uchino, S.-I. Ikeda, D. Allsop and K. Imai (Japan, U.K.) 196

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued)

Effects of circadian phase and duration of sleep deprivation on sleep and EEG power spectra in the cat
M. Lancel, H. van Riezen and A. Glatt (Switzerland) 206
Receptor regulation if the glutamate, GABA and taurine high-affinity uptake into astrocytes in primary culture
E. Hansson and L. Rönnbäck (Sweden) 215
Diazepam enhances intrasynaptosomal free calcium concentrations
J.V. Martin, D.R. Keir and H.-y. Lee (U.S.A.) 222
Cutaneous afferent activity in the median nerve during grasping in the primate
T.E. Milner, C. Dugas, N. Picard and A.M. Smith (Canada) 228
U-50,488H inhibits dynorphin and glutamate release from guinea pig hippocampal mossy fiber terminals
R.L. Gannon and D.M. Terrian (U.S.A.) 242
Selective suppression of afferent but not intrinsic fiber synaptic transmission by 2-amino-4-phosphonobutyric acid (AP4) in piriform cortex
M.E. Hasselmo and J.M. Bower (U.S.A.) 248
Long-term depression in striatal dopamine release monitored by in vivo voltammetry in free moving rats
J.H. Abraini, L. Raharison and J.C. Rostain (France) 256
Tangle-bearing neurons show more extensive dendritic trees than tangle-free neurons in area CA1 of the hippocampus in Alzheimer's disease
H.-J. Gertz, H. Krüger, S. Patt and J. Cervos-Navarro (F.R.G.) 260
Species differences in cerebral taurine concentrations correlate with brain water content
M. Puka, K. Sundell, J.W. Lazarewicz and A. Lehmann (Sweden, Poland) 267
Chronic opioid treatment attenuates carbachol-mediated polyphosphoinositide hydrolysis in chick embryo neuronal cultures
D. Mangoura and G. Dawson (U.S.A.) 273
A sympathoinhibitory area in cat rostral medulla: its role in cardiovascular tone regulation and baroreflex
C.W. Dempesey, C.G. Cusick, C.J. Fontana and D.E. Richardson (U.S.A.) 279
Autoradiographic distribution of μ, δ and κ opioid binding sites in the superficial dorsal horn, over the rostrocaudal axis of the rat spinal cord
D. Besse, M.C. Lombard and J.M. Besson (France) 287
Axonal transport of two major components of the ubiquitin system: free ubiquitin and ubiquitin carboxyl-terminal hydrolase PGP 9.5
A. Bizzi, B. Schaetzle, A. Patton, P. Gambetti and L. Autilio-Gambetti (U.S.A.) 292

Short Communications

Enkephalin and serotonin innervation of somatostatin-immunoreactive medullary reticular formation neurones
J.J. López Costa, S. Marter, T.J. Görcs, J.P. Saavedra and J.V. Priestley (U.K., Argentina, Hungary) 300
Hippocampal type I and type II corticosteroid receptor affinities are reduced in rats predisposed to develop amphetamine self-administration
S. Maccari, P.V. Piazza, J.M. Deminière, L. Angelucci, H. Simon and M. Le Moal (France, Italy) 305
Acute cocaine administration: effects on local cerebral blood flow and metabolic demand in the rat
J. Sharkey, D.E. McBean and P.A.T. Kelly (U.K.) 310
'Anxiolytic' effect of CCK-antagonists on plus-maze behavior in mice
J. Rataud, F. Darche, O. Piot, J.-M. Stutzmann, G.A. Böhme and J.-C. Blanchard (France) 315
Selective blockade of non-NMDA receptors does not block rapidly triggered gluatamate-induced neuronal death
J.-y. Koh and D.W. Choi (U.S.A.) 318
Inhibition of Na^+/Ca^{2+} exchange enhances delayed neuronal death elicited by glutamate in cerebellar granule cell cultures
N. Andreeva, B. Khodorov, E. Stelmashook, E. Cragoe Jr. and I. Victorov (U.S.S.R., U.S.A.) 322
Effects of intracerebroventricularly administered neostigmine on sympathetic neural activities of peripheral tissue in rats
M. Gotoh and G.A. Smythe (Australia) 326
A calcium-activated, calcium-permeable ion channel in human retinal glial cells: modulation by basic fibroblast growth factor
D.G. Puro (U.S.A.) 329
Increased numbers of sodium channels form along demyelinated axons
J.D. England, F. Gamboni and S.R. Levinson (U.S.A.) 334
Synaptic connections of a low-threshold mechanoreceptive primary neuron within the trigeminal subnucleus oralis
T. Sugimoto, Y. Nagase, T. Nishiguchi, S. Kitamura and Y. Shigenaga (Japan) 338
Calcium, magnesium, and long-term recovery from hypoxia in hippocampal tissue slices
J.N. Young, P.G. Aitken and G.G. Somjen (U.S.A.) 343
GDPβS antagonizes whole-cell current responses to excitatory amino acids
A.E. Budson, P.S. Jackson and S.A. Lipton (U.S.A.). 346
Association of amyloid P component with complement proteins in neurologically diseased brain tissue
H. Akiyama, T. Yamada, T. Kawamata and P.L. McGeer (Canada) 349
An ultrastructural study of neurotensin-like immunoreactive terminals in the mediodorsal thalamic nucleus of the rat
M. Kuroda, J.L. Price and J.P. Ray (U.S.A.) 353

Author Index 358